



higher education  
& training

Department:  
Higher Education and Training  
REPUBLIC OF SOUTH AFRICA



**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

**KWAZULU-NATAL COMMUNITY EDUCATION AND TRAINING COLLEGE (KZNCETC)**

**Herein referred to as (KZNCETC)**

**REQUEST POTENTIAL BIDDERS FOR PROPOSALS (RFP) FOR THE**

**SUPPLY, DELIVERY AND INSTALLATION OF A TYRE FITMENT WORKSHOP**

**Tender No: PU4010/039**

Prospective Suppliers who are interested in participating in the aforementioned tender are invited to submit a proposal in full compliance to the requirement of this tender document. Completed documents with all attachments must be signed and submitted on the **PURCO SA Website**.

Proposals in response to **PU4010/039 THE SUPPLY, DELIVERY AND INSTALLATION OF A TYRE-FITMENT WORKSHOP**

**TENDER DOCUMENTS:**

The closing time and date for receipt for online tender **PU4010/039** is at 11h00 AM on **Thursday, 19 March 2026**.

<b>Tender number</b>	<b>PU4010/039</b>	
<b>Date issued</b>	<b>13 March 2026</b>	
<b>Tender closing date</b>	<b>19 March 2026</b> <b>Time: 11:00 AM</b> <b>Tender Submission will be Electronic on <a href="http://www.purcosa.co.za">www.purcosa.co.za</a></b> <b><a href="#">Supplier Hub- Online Tender Submission Guide</a></b>	
<b>No Information Session</b>	<b>N/A</b>	
<b>Company Name</b>		
<b>Address</b>		
<b>Contact person</b>	Mr/Mrs/Ms/Dr/Prof.	
<b>Contact numbers</b>	(w)	(cell)
<b>Email address</b>		



higher education  
& training

Department:  
Higher Education and Training  
REPUBLIC OF SOUTH AFRICA



**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

**Pre-qualification/Mandatory information requirement**

The Pre-qualification/Mandatory Information Requirement phase validates the tenderers' compliance to the legal requirements to conduct business in SA, as well as to specific industry requirement for the supply of services where applicable.

**Please see table below for the list of mandatory requirements and tick yes if documentation is submitted and no if not submitted.**

<i>Description</i>	<i>Requirement</i>	<i>YES</i>	<i>NO</i>
RFP Document	Each page of the RFP document to be initialled by a delegated representative	Yes	No
Completed technical specifications and pricing	Attach your pricing schedule as per specifications	Yes	No
Proof of Bank Account	Provide Confirmation letter from Bank not older than 6 months	Yes	No
Company registration documents	Provide Company registration documents	Yes	No
Tax Pin	An original valid Tax Pin	Yes	No
BBBEE Certification	A valid B-BBEE certificate from a SANAS accredited agency/Affidavit	Yes	No
ID Copies of directors	Certified & not older than 6 months	Yes	No
Declaration of Interest	Please sign point 9 of this tender document	Yes	No
Registration National Treasury (CSD)	Provide a copy of the full report of registration on National Treasury Central Supplier Database.	Yes	No
Board Resolution	Signed Board Resolution	Yes	No
COIDA	Submit valid letter of good standing from the Department of Labour	Yes	No



# higher education & training

Department:  
Higher Education and Training  
REPUBLIC OF SOUTH AFRICA



## MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)

OEM / Supplier	Submit OEM/Supplier letters	Yes	No
SBD Forms	SBD 4 SBD 8 SBD 9 SBD 6.1	Yes	No

**NB: No points will be allocated to this phase; however, tenders that do not meet the pre-qualification requirements may not advance to the next phase of the evaluation process.**




### Stage 1: Evaluation of Functionality

The evaluation criterion for functionality aims to assess the capability of the tenderer to execute and maintain a tender and/ or contract. Tenderers need to obtain a minimum percentage score of 70% and above in order to progress to the next stage of evaluation.

FUNCTIONALITY CRITERIA	POINTS ALLOCATED	
<b>Provide three (3) contactable references of contracts of similar size and nature within the past three (5) years:</b> 3 References verified 2 References verified 1 Reference verified	= 40 Points = 20 Points = 10 Points	<b>40</b>
<b>Offices/workplace in KwaZulu Natal Province</b> (submit proof of location, eg municipality statement, lease) Based in KwaZulu Natal Province Based outside of KwaZulu Natal	= 20 points = 5 points	<b>20</b>
<b>Demonstrate how you will source and supply Tyre Fitment</b> Provided Not provided	= 20 points = 0 points	<b>20</b>
<b>Proof of delivery transport (e.g. vehicle registration documents, rental agreement)</b> Provided None provided	= 20 points = 0 points	<b>20</b>
<b>Total points</b>		<b>100</b>





**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

Description	Make	Qty	Price
<p><b>Pro42 3D Lite Cabinet Aligner</b></p> <ul style="list-style-type: none"><li>• 2 cameras fixed height system</li><li>• OS: Windows 10</li><li>• Alignment software: Pro 42 - Basic</li><li>• 6 Drawer Mobile Cabinet</li><li>• XD Cameras and Targets</li><li>• Screen 24"</li><li>• Laser Jet Printer</li><li>• Ups 2000VA w Avr&amp; Surge Protector Included</li><li>• Wheel size: 12" - 22"</li><li>• Track width: 48" - 96"</li><li>• Wheel base: 79" - 180"</li><li>• Power: 100~240VAC, 1Ph, 50/60Hz</li><li>• Shipping weight and Size: 100 kg, 1380 x 730 x 670 mm (Clamp, Post &amp; Others) 42 kg, 3100 x 360 x 320 mm (Camera Beam)</li></ul>		1	
<p><b>Support Column 2 Pc 2.5m</b> Support Column required for Installation of a Camera Beam</p>		1	
<p><b>3D Aligner Camera Tilt System</b> Positions cameras with the touch of a button for a lift installation</p>		1	
<p><b>ETHOS Edge Purchase with Aligner</b></p> <p><b>Video:</b> <a href="http://www.snapon.co.za/ethosedge">www.snapon.co.za/ethosedge</a></p> <ul style="list-style-type: none"><li>• Touchscreen Colour Backlit Display (5 1/2")</li><li>• Embedded SMX High Speed Operating System</li><li>• Li-Ion Battery (Steady charge from vehicle)</li><li>• Shop Stream Connect (Save / Print / Review)</li><li>• No Internet Connection (Dedicated OS)</li><li>• OEM Sourced Data • USB Port for PC Connectivity &amp; Printing</li></ul>		1	





**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

<ul style="list-style-type: none"><li>• Global OBD-II Coverage for all Makes (10 Modes)</li><li>• User Programmable Function Key</li><li>• Reads Data &amp; Codes (Clears Codes)</li><li>• Simultaneous Live Data Graphing Display (4) • Manufacturer Databases (72)</li><li>• Functional Tests / Bidirectional Controls (Override ECU)</li><li>• Relearns &amp; Adaptations (Replacing components)</li><li>• Full Diagnostic Functions • Wheel Alignment / Fitment Centre Functions</li><li>• Harley-Davidson Functions • Service Interval Reset</li><li>• Key Coding • Vehicle History</li></ul>			
<p><b>Medium Volume Wheel Balancer Automatic Parameter Entry: 2D</b></p> <ul style="list-style-type: none"><li>• Medium volume semi-automatic wheel balancer</li><li>• 2 Parameter entry</li><li>• LED Display</li><li>• Spoke Mode with hidden weight</li><li>• Gauge arm with integrated weight clamp</li><li>• Virtual plane imaging technology (VPI)</li></ul>		1	
<p><b>Low Volumn Tilt-Back 24" Tyre Changer + Mount Help</b></p> <ul style="list-style-type: none"><li>• Low Volumn 13-24" Automatic tilt back Tyre Changer</li><li>• Mount help device standard - Optional</li><li>• Precision self-centuring four-jaw turntable</li><li>• Sliding jaws with rounded profile &amp; plastic jaw protection</li></ul>		1	



**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

<ul style="list-style-type: none"><li>• Reblaceable wheel protector on mounting / demounting tool to avoid damage to rims</li><li>• 3PH power or 220v Option</li></ul> AVAILABLE			
<b>Tyre Changer</b>	 <p>50 % Help Mount Promo with Purchase of a Tyre Changer</p>	1	
<b>John Bean Alignment Lift</b>  → Capacity: 12,000 lbs (5,450kg) → Minimum 4 Wheel Alignment Wheelbase: 88.5" (2,248mm) → Maximum 4 Wheel Alignment Wheelbase: 158.5" (4,026mm) → Maximum 2 Wheel Alignment Wheelbase: 168.8" (4,288mm) → General Service Wheelbase: 183" (4,646mm) → Overall Length: 251.5" (6,386mm) → Overall Width: 134.8" (3,423mm) → Runway Width: 20.6" (524mm) → Runway Length: 204.6" (5,196mm) → Raised Height: 78" (1,981mm) → Lowered Height: 7.2" (182.5mm) → Column Height: 90.5" (2,298mm) → Distance Between Runways: 40"/43" (1,016/1,092mm) → Lifting Time: 74 Seconds → Shipping Weight: 3,307 lbs (1,500kg) → Power Requirements: 230V 1Ph 60Hz 12.5A		1	
<b>Lift Installation 4 Post</b>		1	
<b>Laub EL700S Low Level Lift</b>			









higher education  
& training

Department:  
Higher Education and Training  
REPUBLIC OF SOUTH AFRICA



**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

<p><b>SPECIFICATIONS</b> LIFT CAPACITY: 3500 KGS MAX LIFT HEIGHT: 700 MM AIR PRESSURE REQUIRED: 3 – 5 BAR WEIGHT: 695 KG COLOURS: RED OR BLUE – ARMS YELLOW Standard delivery includes 4 rubber blocks, 4 adjustable corner mounted arms, 2 spacer bars for 4x4 vehicles</p>		<p>1</p>	
<p><b>Electric Low-Level Lift</b>  Model No. L580 Lifting Capacity 4500Kg Lifting Height 580mm Min. Height 80mm Locking System Mechanical Release Platform Length 1500mm Platform Width 580mm Platform Space 640mm Lifting Time Approx. 30 sec</p>		<p>1</p>	
<p><b>Low Level Installation</b></p>		<p>1</p>	
<p><b>5000A-REV-WO</b> 1/2 In Impact Winch Twin Hammer</p>		<p>1</p>	
<p><b>IR070441-ON-WO</b> Torque Wrench 40-200mm</p>		<p>1</p>	
<p><b>BLPPSJ3T</b> 3 Tonne Trolley Jack</p>		<p>1</p>	
<p><b>SNX3JSR</b> 3 Tonne Ratcheting Trestle Jack Set</p>		<p>1</p>	



**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**



**Step-AB Blue  
Sets in Wheel Weight Cart**



Part No	Description	S1	S2	S3	S4
KRBC3T3WWB3-WO	Wheel Weight Cart	■	■	■	■
B-BWXW3	Wheel Spanner - 1pc	■	■	■	■
MOD.169BC37L-S1	Wheel Bay Set Torque Wrench (tighten only), Extension 150mm, Power Bar 450mm, 1/2" Dp 12pt Skt Set 17,19,21 & 22mm, Flat Tip S/Driver 1.2x6.5x150, PH S/Driver 2x125, 9pc Hex Ball Allen Key Set 1.5-10mm, Utility Knife, Side Cutter 150mm, Long Nose Pliers 200mm, Valve/Core Stem Tool, Rubber Mallet, Wire Brush - 24pc	■			
MOD.169BC37L	MOD.169BC37L-S1, Plus: Lug Nut Twist Removal Set 17mm,19mm, 7/8", Tyre Valve Tool, Tyre Pressure Gauge, 1/2 Dp Skt 24 & 27mm, Ext 250mm - 32pc	■			
MOD.168BC17S-S3	Wheel Bay Add-on Set Wheel Weight Pliers, Non-Marring Pry Tool, Tyre Lever 380mm, Valve Stem Insert, Tread Depth Gauge - 5pc				■
MOD.168BC17S	MOD.168BC17S-S3, Plus: 1/2 Impact Wrench (reverse only), 1/2 Extension Imp 125mm Pin, 1/2 Deep Imp Skt Set 17,19,21 & 22mm with Sleeve - 11pc				■



All Wheel Bay Tool Sets include Wheel Spanner B-BWXW3

- SET.WBKRBC3WW-S1 (25pc)
- SET.WBKRBC3WW-S2 (33pc)
- SET.WBKRBC3WW-S3 (38pc)
- SET.WBKRBC3WW-S4 (44pc)

KRBC3T3WWB3-WO (Roll Cart Only)

SET.WBKRBC3WW-S4 - 44Pc Wheel Bay Tool Set in Roll Cart:

Option 4

Irimo

SET.WBKRBC3WW-S4 – 44Pc Wheel Bay Tool Set in Roll Cart	Picture above	1	
<b>EEWB3-1A-INS798-WF</b> Balancer Pin Plate set/Suv and Light Truck in foam insert for Roll cart		1	
<b>BUY-GARAGE-EQUIP04</b> 3Hp Compressor 150LT 8 bar 220V including conformity certificate certificate		1	
<b>Strut Spring Compressor</b> The 7600 Strut Spring Compressor sets the standard in the industry for handling heavy-duty coil-over shocks on light trucks and SUVs. Designed to manage the heaviest springs without the need for additional adapters, this compressor features longer handles that provide...		1	



**MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**



Set Part #s  
SET.ALB2006E1-S1 (46pc)  
SET.ALB2006E1-S2 (79pc)  
SET.ALB2006E1-S3 (98pc)

Part No	Description	S1	S2	S3
2003KZE1N 2006KZE1N (OR)	3 Drawer Top Chest Textured Red No Trim 6 Drawer Roll Cabinet Textured Red No Trim	■	■	■
MOD.265BH45F-AL1	Single Spanner Set 8-32mm (excl. 20,23,25,26,28,31) & Pipe Wrench - 20pc	■		
MOD.265BH45F-AL2	MOD.265BH45F-AL1 plus: Adjustable Spanner (250mm) & Tie Rod Tool - 22pc		■	
MOD.265BH45F	Double Spanner Set plus: Pipe Wrench, Adj. Spanner and Tie Rod Tool - 41pc			■
MOD.165BH45S	Screwdriver Set 5pc & Plier Set - 3pc	■	■	■
MOD.166BH45S-AL1	Hammer, Prybar, Safety Glasses, Rechargeable Light & Sm Tape Measure - 5pc	■		
MOD.166BH45S	MOD.166BH45S-AL1 plus: Bronze Punch & Tyre Pressure Gauge - 7pc		■	■
MOD.167BH45S-AL1	1/2" Power Bar 450mm, Impact Extension 125mm, Universal Joint, 10pc 1/2" 6pt 5h Imp Skt Set (10-24mm), 9pc Hex Ball Allen key Set 1.5-10mm, 9pc Torx Set T10-T50 - 31pc	■		
MOD.167BH45S	MOD.167BH45S-AL1 plus: 1/2" Ratchet, 6pc 1/2" External Torx Skt Set (E12 - E24), 4pc 1/2" Torx Bit Driver (T30 - T50) - 42pc		■	■

<b>SET.ALB2006E1-S3-98Pc Alignment Tool Set in Roll Cabinet</b>	Picture attached above	1	
<b>LSR2500</b> Set Socket Lug/Lock Flip Twist 3pcs		1	
<b>SPC81139</b> Mag Adj Camber Gauge		1	
<b>Air supply connections (minimum air pressure – 8 bar/800 Kpa/116 psi)</b>			
<b>Electrical Connection (380V 3-phase)</b>			
<b>Civil Costs</b>			
<b>SUB-TOTAL</b>			R
<b>VAT</b>			R
<b>GRAND TOTAL</b>			R

**The quotation must include the following:**

- The brand name for each product quoted must be clearly named.
- Warranty for each Product must be clearly specified
- A detailed work plan (Implementation Plan) must be submitted with a quotation
- Electrical and Air supply connection must be part of quotation.
- Civil Cost must be included clearly detailing what they entail.
- Full on-site training regarding the correct operation of all equipment is compulsory.



## higher education & training

Department:  
Higher Education and Training  
REPUBLIC OF SOUTH AFRICA



### **MERSETA TYRE FITMENT WORKSHOP RFQ ONDINI CLC (IFALETHU)**

- Telephonically and On site service, maintenance and support for the first 6 months must be included